Dated 26th November 1962.

PUBLIC NOTICE.

(Under Section 48 (2) of Bombay District Municipal Act, 1901).

No. 954. The Haliyal Municipality under its General Body Resolution No. 137, dated 1st November 1962, has resolved to frame and adopt the following bye-laws under Section 48 (k) of the Bombay District Municipal Act, 1901, in place of present bye-laws for construction of Bhangi privy; for construction of Septic tank latrines and for construction of acqua privies within the limits of Haliyal Municipality. Any objection or suggestion there to be made in writing and delivered to the Municipality within the period of 30 days from the publication of this Notice in the *Mysore Gazette*.

Bye-laws for the Septic tank latrines.

1 No septic tank shall be constructed unless its plans have been approved by the Chief Executive Officer.

2 Permission for construction of Septic tank shall not be given unless the following conditions are satisfied, namely:

(*a*) the provision of water supply to the house shall not be less than 15 gallons per head, per day;

(*b*) the Septic tank shall be located in the compound at the rear of the building and shall be not less than 50 feet distant from any well;

(*c*) the capacity of the Septic tank shall be such as to hold all waste water and in no case shall be less than 15 gallons per person (including servants) residing on the plot. The Septic tank shall be constructed in 2 units side by side.

(*d*) the Septic tank shall have an average depth of 4 feet and length twice the *six* of its width;

(*e*) the Septic tank shall be provided with (a) a grit chamber with an invert slope and having capacity of from 15 to 30 minutes stay, (b) baffle walls (c) inspection manholes for each unit, and (d) vent pipes.

(*f*) no storm water channel shall be permitted to be connected with the Septic tank;

(*g*) no part of the effluent shall be permitted to flow in to an open road side channel or drain:

3 No Septic tank shall be brought into use until the installation and water closets, including the flusing apparatus traps, drains and all parts connected with the water closets and the tank have been inspected by an officer appointed by the Chief Executive Officer and approved.

4 If a Septic tank functions defectively or becomes a source of nuisance, the Chief Executive Officer may require the owner to have the effluent analysed and if the result of the analysis is unsatisfactory require the owner either to discontinue use of the tank or close it or to make such alterations, repairs or additions to it as he may deem necessary.

5 Every Septic tank shall be cleaned at least once a year, and in any case whenever silt and sludge deposits accumulate to over one third the depth of the tank.

6 Should the Municipality at any time provides sewers under any road adjoining a plot on which a Septic tank has been constructed, the owner of the tank shall, if required by the Municipality to do so, connect the effluent from the Septic tank to the sewer at his own cost.

Bye-laws regarding construction of Acqua privies.

1 No acqua privy shall be constructed unless its plans have been approved and permission for its construction is granted by the Chief Executive Officer.

2 Permission for construction of an acqua privy shall not be granted unless the following conditions are satisfied; namely;

(*a*) for every 10 persons, there shall be one seated acqua privy. The tank below shall have a capacity of 60 cubic feet in respect of each seat;

(*b*) the acqua privy shall be located at the rear of the building and shall be not less than 50 feet distant from any well;

(*c*) the acqua privy shall be built according to the type design approved by the Public Health Engineer to the Government of Mysore from whom a copy may be obtained.

3 The digetion chamber; the aerobic chamber, the filter chamber and the inter connection between the various chambers shall be inspected by the Chief Executive Officer, the Public Health Officer or his representative and approved before permission is granted to bring the installation into use.

4 If an acqua privy functions defectively, or becomes a source of nuisance, the Chief Executive Officer may require the owner to have the effluent analysed and if the result of the analysis is unsatisfactory require the owner either to discontinue its use or to make such alterations, repairs or additions to it as may be deemed necessary.

5 Every acqua privy shall be cleaned out at least once in a 3 years and in any case whenever sludge deposits accumulate up to more than 18 inches from the bottom of the digestion chamber.

6 The effluent from every acqua privy shall either be utilised for a small patch of garden or where this is not possible, allowed to dry in the soakage pit approved by the Chief Executive Officer, which shall be not less than 50 feet distance from any well. Open space at the rate of 9 square yards per seat shall be provided for disposal of effluent.

7 Should the Municipality at any time provides sewers under any road adjoining a plot on which an acqua privy has been constructed, the owner of the privy shall, if required by the Municipality to do so, connect the effluent from the acqua privy to the sewers at his own cost.

G. G. HUNSWADKAR, *President.*

OFFICE OF THE PRESIDENT, TOWN MUNICIPAL COUNCIL, TARIKERE.

Notification dated 4th April 1962.

Under Section 62 read with Section 48(1) (a) of the Mysore Town Municipalities Act, 1951.

No. C3. PR. 135/61-62. Notice is hereby given to the inhabitants of the Town Municipality of Tarikere under Section 62 read with Section 48(1) (a) of the Mysore Town Municipalities Act, 1951, that the Municipal Council has passed resolutions at its meetings held on 9th January 1958, 4th January 1962 and 3rd April 1962 to adopt the Model Bye-Laws relating to the cattle Shows and Fairs at Tarikere town notified in G.O. No. L 15775 ML 109-53-5, dated 4th March 1954, appended below and are published.

Any inhabitant of the Municipality objecting to the proposed tax may within one month from the date of publication of this office notice in the *Mysore Gazette*, send his objections in writing to the Town Municipal Council, Tarikere.

The Bye-Laws will be taken up for consideration by the Municipal Council after one month from the date of the Gazette in which this notice is first published.

On the coming into force of these Bye-Laws now in force will be superseded.